




ESD
SAFETY SHOES

 **Base**
feel the comfort 




WHY BASE PROTECTION?



We design true comfort that improves well-being and safety at work.



We listen to the customers in order to offer safety footwear always in line with their needs.



We invest in innovation to offer safety shoes specifically dedicated to each job.




AirTech® + tpu-SKIN®

AirTech + Tpu Skin: the real antifatigue sole.

An exclusive technology, patented by Base Protection which allows to reduce the outsole's hard and compact thickness, up to values never achieved before.

The result is: more elasticity and cushion effect.



tpu-SKIN® Ultraflex

Tpu-Skin Ultraflex

A footwear whose antifatigue effect and higher flexibility help to decrease foot labour and save energy.



Dry'n Air[↗] ESD

Dry'n Air dry foot system.

A technology, patented by Base Protection, which guarantees the air circulation inside the shoe.





SlimCap



Metal-free toe-cap SlimCap: light, more flexible than metal toe-cap, non magnetic and thermal insulated. It guarantees more comfort, without giving up to a cool design.

Toe-cap's thickness is reduced to as low as **6,5 mm** compared to other similar toe cap on the market: more room for toes.

Equipped with a protective strip, toe-cap shaper, it avoids the risk of accidental detachment and reduces the painful pressure on toes.



SmellStop



SmellStop antibacterial lining*: anti-odor lining that prevents Bacteria and Fungus, responsible for odors, from taking hold anywhere in your shoes. With SmellStop the foot remains healthy.

*Antibacterial in compliance with 528/2012/EU standard. Treatment made with biocide Zinc pyrithione (CAS-No. 13463-41-7) product type PT 09.




Fresh'n Flex

Ballistic fabric midsole. Perforation 0 mm, Standard EN ISO 20345:2011 (Nail 4,5 mm - Force 1100 Newton).



ESD TECHNOLOGY

ELECTRIC RESISTANCE AND PROTECTION AGAINST ELECTROSTATIC PHENOMENA



B0676C

BOWLING ESD



UPPER

Water-resistant technical textile and suede leather

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap



S3 ESD SRC

Size: 36-48



SOLE

PU/TPU-Skin with AirTech technology. Dry'n Air Record ESD insole (item B6305)

B0677B

MARATHON ESD



UPPER

Water-resistant technical textile

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap



S3 ESD SRC

Size: 36-48



SOLE

PU/TPU-Skin with AirTech technology. Dry'n Air Record ESD insole (item B6305)

B0698
JUDO



UPPER
Microfibre

LINING
SmellStop lining with antibacterial treatment*

MIDSOLE
Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP
Composite SlimCap



S1P ESD SRC

Size: 36-48



SOLE
PU/TPU-Skin with AirTech technology. Dry'n Air Record ESD insole (item B6305)

B0617
AEROBIC



UPPER
Suedeleather

LINING
SmellStop lining with antibacterial treatment*

MIDSOLE
Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP
Composite SlimCap



S1P ESD SRC

Size: 36-47



SOLE
PU/TPU-Skin with AirTech technology. Dry'n Air Record ESD insole (item B6305)

B0647
FRISBEE



S1P ESD SRC

Size: 34-49



UPPER

Microfibre with textile inserts

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap

SOLE

PU/TPU-Skin with AirTech technology. Dry'n Air Record ESD insole (item B6305)

B0643
DARTS



S1P ESD SRC

Size: 34-49



UPPER

Microfibre with textile inserts

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap

SOLE

PU/TPU-Skin with AirTech technology. Dry'n Air Record ESD insole (item B6305)

B0640
SAIL



S3 ESD SRC

Size: 39-47



UPPER

Water-resistant microfibre

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap

SOLE

PU/TPU-Skin with AirTech technology. Dry'n Air Record ESD insole (item B6305)

B0636
BOB



S3 ESD SRC

Size: 36-47



UPPER

Water-resistant microfibre

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap

SOLE

PU/TPU-Skin with AirTech technology. Dry'n Air Record ESD insole (item B6305)

RECORD

B0637
SKY



S1P ESD SRC

Size: 36-47



UPPER
Microfibre

LINING
SmellStop lining with antibacterial treatment*

MIDSOLE
Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP
Composite SlimCap

SOLE
PU/TPU-Skin with AirTech technology. Dry'n Air Record ESD insole (item B6305)

CLASSIC PLUS

B0871
BE-FRESH



ULTRAFLEX



S1P ESD SRC

Size: 36-50



UPPER
Microfibre with reflective inserts

LINING
SmellStop lining with antibacterial treatment*

MIDSOLE
Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP
Composite SlimCap

SOLE
PU/TPU-Skin with AirTech Ultraflex technology Dry'n Air Omnia ESD insole (item B6306)

B0886
BE-STYLE



S1P ESD SRC

Size: 36-50



UPPER

Microfibre with reflective inserts

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap

SOLE

PU/TPU-Skin with AirTech Ultraflex technology Dry'n Air Omnia ESD insole (item B6306)

B0822
BE-READY



BOA® System



S1P ESD SRC

Size: 36-50



UPPER

High tech textile and microfibre

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap

SOLE

PU/TPU-Skin with AirTech Ultraflex technology Dry'n Air Omnia ESD insole (item B6306)

B0892
BE-EASY



UPPER

Water resistant full grain leather

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap



S3 ESD SRC

Size: 36-50



SOLE

PU/TPU-Skin with AirTech Ultraflex technology Dry'n Air Omnia ESD insole (item B6306)



B0893
BE-EASY TOP

UPPER

Water resistant full grain leather

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap



S3 ESD SRC

Size: 39-50



SOLE

PU/TPU-Skin with AirTech Ultraflex technology Dry'n Air Omnia ESD insole (item B6306)

B0178B
CHESTER
ESD



S3 ESD SRC

Size: 36-49



UPPER

Water resistant
suedeleather
with Nubuck effect

LINING

SmellStop lining
with antibacterial
treatment*

MIDSOLE

Metal-free
puncture resistant
midsole Fresh'n Flex

TOE-CAP

Steel

SOLE

Anti fatigue AirTech
single density.
Replaceable insole

B0177B
CHESTER
TOP ESD



S3 ESD SRC

Size: 36-49



UPPER

Water resistant
suedeleather
with Nubuck effect

LINING

SmellStop lining
with antibacterial
treatment*

MIDSOLE

Metal-free
puncture resistant
midsole Fresh'n Flex

TOE-CAP

Steel

SOLE

Anti fatigue AirTech
single density.
Replaceable insole

B0955
SKAT



UPPER
Microfibre

LINING
SmellStop lining with antibacterial treatment*

MIDSOLE
Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP
Composite SlimCap



S1P ESD SRC

Size: 36-48



SOLE
PU single density with AirTech technology Dry'n Air Omnia ESD insole (item B6306)

B0953B
CURSA



UPPER
Suede leather

LINING
SmellStop lining with antibacterial treatment*

MIDSOLE
Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP
Composite SlimCap



S1P ESD SRC

Size: 36-48



SOLE
PU single density with AirTech technology Dry'n Air Omnia ESD insole (item B6306)

B0957
MATAR



S3 ESD SRC

Size: 36-48



UPPER

Water resistant microfibre

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap

SOLE

PU single density with AirTech technology Dry'n Air Omnia ESD insole (item B6306)

B0958
MATAR TOP



S3 ESD SRC

Size: 36-48



UPPER

Water resistant microfibre

LINING

SmellStop lining with antibacterial treatment*

MIDSOLE

Metal-free puncture resistant midsole Fresh'n Flex

TOE-CAP

Composite SlimCap

SOLE

PU single density with AirTech technology Dry'n Air Omnia ESD insole (item B6306)

*Antibacterial in compliance with 528/2012/EU standard. Treatment made with biocide Zinc pyrithione (CAS-No. 13463-41-7) product type PT 09.

ACCESSORIES

Dry'n Air
RECORD ESD



B6305

DRY'N AIR RECORD ESD FOOTBED FOR RECORD LINE

- Maximum breathability: thanks to the built-in system of perforations and ducts, an air flow between the foot and the sole is created avoiding the annoying "airtight compartment" effect.
- Electrostatic dissipation: thanks to its low electrical resistance, the footbed constantly discharges the static electricity accumulated by the human body to the ground.
- The anti-odour lining prevents the proliferation of micro-organisms responsible for bad odours and fungal infections.
- Sizes: 34/49.



Dry'n Air
OMNIA ESD



B6306

DRY'N AIR OMNIA ESD FOOTBED FOR ALL BASE PROTECTION FOOTWEAR, EXCEPT FOR THE STYLES OF THE RECORD LINE

- Maximum breathability: thanks to the built-in system of perforations and ducts, an air flow between the foot and the sole is created avoiding the annoying "airtight compartment" effect.
- Electrostatic dissipation: thanks to its low electrical resistance, the footbed constantly discharges the static electricity accumulated by the human body to the ground.
- The anti-odour lining prevents the proliferation of micro-organisms responsible for bad odours and fungal infections.
- Sizes: 36/50.



SAFETY STANDARD REQUIREMENTS

EN ISO 20345:2011

SB
Basic requirements.

S1
SB + closed heel area, antistatic properties, shock-absorption in the heel region + hydrocarbons resistant.

S2
S1 + upper resistance for water absorption and penetration.

S3
S2 + puncture resistance.

EN ISO 20347:2012

OB
Basic requirements.

O1
OB + closed heel area, antistatic properties, shock-absorption in the heel region + hydrocarbons resistant.

O2
O1 + upper resistance for water absorption and penetration.

O3
O2 + puncture resistance.

The declarations of conformity can be consulted on b2b.baseprotection.com/en/downdoc/ in all languages.

PATENTS AND TECHNOLOGIES



PATENT
DRY FOOT
SYSTEM

SOLE
AirTech®
ANTIFATIGUE TECHNOLOGY

SOLE
SlimCap
METAL-FREE TOE CAP

SmellStop
ANTI-BACTERIAL* LINING



PATENT
ANTIFATIGUE
TECHNOLOGY

Fresh'n Flex
PUNCTURE-RESISTANT MIDSOLE

*Antibacterial in compliance with 528/2012/EU standard. Treatment made with biocide Zinc pyrithione (CAS-No. 13463-41-7) product type PT 09.

SYMBOLS



200 Joules resistant toe-cap



Free from metal components



P Puncture resistant sole



Free from animal components



E Shock absorption in the heel region



Electronic devices protection from electrostatic discharges



WRU Waterresistant upper



Men's width (Size ≥ 39)



FO Hydrocarbons resistant



Women's width (Size < 39)

SRC SRA:
Slip-resistant ceramic + detergent
+ SRB:
Resistant steel + glycerine



Orthopedic made to measure footbed, complying with european norms DGVU112-191



ESD SAFETY SHOES



Base Protection Srl Unipersonale

Italy - 76121 Barletta (BT)

Via dell'Unione Europea, 61

T +39 0883 334811

F +39 0883 334824

E info@baseprotection.com

W www.baseprotection.com



FEGEMU GROUP

