

UNSTOPPABLE COMFORT

COMFORT INARRESTABILE / UNAUFHALTSAMER KOMFORT CONFORT IMPARABLE / COMODIDAD IMPARABLE





THE NEW 4X4 SOLE:

AN INNOVATIVE COMBINATION OF COMFORT AND LIGHTNESS.

STRENGTH, RESISTANCE AND SOLIDITY,

WITH THE GRIP AND RELIABILITY OF THE BASE PROTECTION SOLES.





THE MAGNIFICENT SEVEN

THE NEW MODELS, ALL PROVIDED WITH

AirTech[®] + tpu-∫ĸın[®]

ANTI-FATIGUE SOLE AND



S3 CI SRC,

ARE MADE WITH WATER-RESISTANT WAXY LEATHER UPPER, EXCEPT

IN WATER-RESISTANT NUBUCK LEATHER.

LIGHTWEIGHT, FLEXIBLE, ELASTIC.

RESISTANT TO ABRASION AND TEARS.




B0823 **BE-DYNAMIC** SIZES 39 - 50



B0866 **BE-BROWNY** SIZES 36 - 50



B0883 **BE-BROWNY TOP** SIZES 36 - 50



Cold insulation down to -17 ° C

Orthpedic made-to-measure footbed, complying with European norms DGUV112-191

Free from metal components

Man width

Women's width



B0870 **BE-EXTREME** SIZES 39 - 50

B0870B **BE-EXTREME W** LINING EcoWool











B0870C **BE-MIGHTY** SIZES 39 - 50 B0870D

BE-MIGHTY W LINING EcoWool SEVEN NEWS IN THE CLASSIC PLUS LINE EQUIPPED WITH:

• FRESH'N FLEX

ANTI-PERFORATION INSERT,

- ANTI-ODOR AND ANTIBACTERIAL* **SMELLSTOP** LINING,
- **SLIMCAP** COMPOSITE TOE-CAP.




* 528/2012/EU. Treatment made with biocide Zinc pyrithione (CAS-No. 13463-41-7) product type PT 09, in accordance with 528/2012/EU regulation.





6,5 mm





The 4x4 safety shoes of the **Classic Plus** line are ideal for:

.....



AGRICULTURE AND LIVESTOCK



BUILDING



CONSTRUCTION SITE AND LARGE PLANTS



THE NEW 4X4 TECHNOLOGY SIGNED BY BASE PROTECTION

AN EXAMPLE OF TECHNOLOGICAL INNOVATION AND HUMAN APPROACH, BORN TO DEVELOP "CUSTOMIZED" MODELS FOR EVERY WORKING ENVIRONMENT.

BASE PROTECTION ALWAYS RESEARCHES, INNOVATES AND IMPROVES TO DEVELOP CUTTING-EDGE SOLUTIONS, ENSURING TOTAL COMFORT AND HIGH PERFORMANCE.



Base Protection Srl Unipersonale Italy - 76121 Barletta (BT) Via dell'Unione Europea, 61 T +39 0883 334811 F +39 0883 334824 E info@baseprotection.com W www.baseprotection.com



